



# NEB - LOCK System



*For over 19 years,*

*Nebula means experience, consistency & reliability proven with time in the field of orthopaedic industry and customer satisfaction. Our aim is to exclusively focus on orthopaedic Implants and surgical Instruments to enhance the surgical techniques which will improve patients post life surgery & will allow surgeons to maximize possibilities of best recovery for patients & live normal life. Nebula is your dedicated one-stop-shop for your all needs of Implants and Instruments.*

*Our constant efforts, expertise & experience allow us to serve with more than 2000 products like Bone plates & screws, Locking plates & screws, Interlocking nails, Spinal System, Maxillofacial, Arthroscopy implants & Instruments, External Fixator and much more...*

*‘Supplying to the world’s leading*



*The 'NEBULA' expansion project facility is spread over 6000 Sq. Meters of area with hi-tech multi floor enclosed building with fully automatic A.H.U. (Air Handling Unit) as per norms & guidelines of US FDA (510K) to serve the global requirements. The entire production facility is enclosed in dust-free & highly sterile environment with fully automated latest CNC, VMC, Laser cutting machines of hybrid generation sourced from Japan, USA, Germany, Korea, Sweden. This is most modern infrastructure with state of art manufacturing facilities of this era.*

*orthopaedic hospitals'*





## SMALL LOCKING PLATE 2.7 MM (FOR RADIUS / ULNA)

Cat.	Length
L105.27	04 HOLE TO 10 HOLE



### Adopt Screw

Locking screw	Cortical screw
2.7 mm	2.7 mm

## SMALL LOCKING PLATE 3.5 MM (FOR RADIUS / ULNA)

Cat.	Length
L105	04 HOLE TO 14 HOLE
TL105	04 HOLE TO 12 HOLE
ML105	05 HOLE TO 12 HOLE



### Adopt Screw

Locking screw	Cortical screw
3.5 mm	3.5 mm

## NARROW LOCKING PLATE 4.9 MM (FOR HUMERUS / TIBIA)

Cat.	Length
L106	04 HOLE TO 16 HOLE
TL106	04 HOLE TO 16 HOLE
ML106	06 HOLE TO 14 HOLE



### Adopt Screw

Locking screw	Cortical screw
4.9 mm	4.5 mm

## BROAD LOCKING PLATE 4.9 MM (FOR FEMUR)

Cat.	Length
L107	05 HOLE TO 16 HOLE
TL107	05 HOLE TO 16 HOLE



### Adopt Screw

Locking screw	Cortical screw
4.9 mm	4.5 mm



RECONSTRUCTION LOCKING PLATE 3.5 MM  
(FOR RADIUS / ULNA)

Cat.	Length
L108	04 HOLE TO 16 HOLE
TL108	04 HOLE TO 12 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm



RECONSTRUCTION LOCKING PLATE 4.9 MM

Cat.	Length
L117	04 HOLE TO 16 HOLE

**Adopt Screw**

Locking screw	Cortical screw
4.9 mm	4.5 mm



1/3 TUBULAR LOCKING PLATE 3.5 MM  
(FOR RADIUS / ULNA)

Cat.	Length
L120	04 HOLE TO 12 HOLE
TL120	04 HOLE TO 10 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm



RCP LOCKING PLATE (ROUND HOLE) 3.5 MM

Cat.	Length
L145	04 HOLE TO 08 HOLE

**Adopt Screw**

Locking screw
3.5 mm





PROXIMAL HUMERUS LOCKING PLATE

Cat.	Length
L113	03 HOLE TO 08 HOLE
TL113	03 HOLE TO 08 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm



PHILOS LOCKING PLATE SHORT

Cat.	Length
L123.S	03 HOLE TO 12 HOLE
TL123.S	02 HOLE TO 12 HOLE
ML123.S	02 HOLE TO 06 HOLE



PHILOS LOCKING PLATE LONG

Cat.	Length
L123.L	03 HOLE TO 12 HOLE
TL123.L	02 HOLE TO 12 HOLE
ML123.L	05 HOLE TO 12 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm







**DISTAL HUMERUS MEDIAL METAPHYSEAL LOCKING PLATE (L/R)**

Cat.	Length
L127	07,09,11,13,15 HOLE
TL127	07,09,11,13,15 HOLE
ML127	07,09,11,13 HOLE



**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm

**DISTAL HUMERUS MEDIAL LOCKING PLATE (L/R)**

Cat.	Length
L128.L/R	03,05,07,09,14 HOLE
TL128.L/R	03,05,07,09,14 HOLE
ML128.L/R	03,05,07,09,14 HOLE



**Adopt Screw**

Locking screw	Cortical screw
2.7 & 3.5 mm	3.5 mm

**DISTAL HUMERUS DORSOLATERAL WITH SUPPORT LOCKING PLATE (L/R)**

Cat.	Length
L129.L/R	03,05,07,09,14 HOLE
TL129.L/R	03,05,07,09,14 HOLE
ML129.L/R	03,05,07,09,14 HOLE



**Adopt Screw**

Locking screw	Cortical screw
2.7 & 3.5 mm	3.5 mm



**DISTAL HUMERUS DORSOLATERAL  
WITHOUT SUPPORT LOCKING PLATE (L/R)**

Cat.	Length
L130.L/R	03,05,07,09,14 HOLE
TL130.L/R	03,05,07,09,14 HOLE
ML130.L/R	03,05,07,09,14 HOLE



**Adopt Screw**

Locking screw	Cortical screw
2.7 & 3.5 mm	3.5 mm

**EXTRA ARTICULAR DISTAL HUMERUS  
LOCKING PLATE (L/R)**

Cat.	Length
L143	04,06,08,10,12,14 HOLE
TL143	04,06,08,10,12,14 HOLE
ML143	04,06,08,10,12,14 HOLE



**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm





## RADIAL HEAD RIM LOCKING PLATE

Cat.	Length
L146.L/R	02, 03, 04 HOLE
TL146.L/R	02, 03, 04 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 mm	2.7 mm

## RADIAL HEAD NECK LOCKING PLATE

Cat.	Length
L147	02, 03, 04 HOLE
TL147	02, 03, 04 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 mm	2.7 mm



**OBLIQUE T LOCKING PLATE**

Cat.	Length
L109	03 HOLE TO 08 HOLE
TL109	03 HOLE TO 08 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm



**SMALL T LOCKING PLATE**

Cat.	Length
L114	03 HOLE TO 08 HOLE
TL114	03 HOLE TO 08 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm



**DISTAL RADIUS VOLAR LOCKING PLATE**

Cat.	Length
L131.L/R	02 HOLE TO 06 HOLE
TL131.L/R	02 HOLE TO 06 HOLE
ML131.L/R	02 HOLE TO 06 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 & 3.5 mm	3.5 mm



Variable Angle


**DISTAL RADIUS STYLOID LCP (L/R)**

Cat.	Length
L148.L/R	02, 03, 04, 05, 06 HOLE



**VA DISTAL RADIUS EXTRA ARTICULAR LOCKING PLATE (HEAD 5H) (L/R)**

Cat.	Length
L158.V.L/R	03,05 HOLE



Variable Angle



**DISTAL RADIUS EXTRA ARTICULAR LOCKING PLATE (HEAD 5H) (L/R)**

Cat.	Length
L158.L/R	03,05 HOLE
TL158.L/R	03,05 HOLE
ML158.L/R	03,05 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 mm	2.7 mm



**VA DISTAL RADIUS OBLIQUE ARTICULAR LOCKING PLATE (HEAD 5H) (L/R)**

Cat.	Length
L159.V.L/R	03, 05 HOLE

**DISTAL RADIUS OBLIQUE ARTICULAR LOCKING PLATE (HEAD 5H) (L/R)**

Cat.	Length
L159.L/R	03, 05 HOLE
TL159.L/R	03, 05 HOLE
ML159.L/R	03, 05 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 mm	2.7 mm



Variable Angle

**VA DISTAL RADIUS BUTTRESS LOCKING PLATE (HEAD 5H) (L/R)**

Cat.	Length
L160.V.L/R	03 HOLE

**DISTAL RADIUS BUTTRESS LOCKING PLATE (HEAD 5H) (L/R)**

Cat.	Length
L160.L/R	03 HOLE
TL160.L/R	03 HOLE
ML160.L/R	03 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 mm	2.7 mm



Variable Angle



### U DISTAL RADIUS DORSAL LOCKING PLATE (L/R)

Cat.	Length
L136.L/R	17 HOLE TOTAL
TL136.L/R	17 HOLE TOTAL

#### Adopt Screw

Locking screw  
2.7 mm



### STRAIGHT DISTAL RADIUS DORSAL LOCKING PLATE

Cat.	Length
L137	05, 06 HOLE
TL137	05, 06 HOLE

#### Adopt Screw

Locking screw      Cortical screw  
2.7 mm              2.7 mm



### L DISTAL RADIUS DORSAL LOCKING PLATE (HEAD 2H) (L/R)

Cat.	Length
L138.L/R	03, 04 HOLE
TL138.L/R	03, 04 HOLE

#### Adopt Screw

Locking screw      Cortical screw  
2.7 mm              2.7 mm



### L DISTAL RADIUS DORSAL LOCKING PLATE (HEAD 3H) (L/R)

Cat.	Length
L139.L/R	03, 04 HOLE
TL139.L/R	03, 04 HOLE

#### Adopt Screw

Locking screw      Cortical screw  
2.7 mm              2.7 mm





**OBLIQUE DISTAL RADIUS DORSAL LOCKING PLATE (L/R)**

Cat.	Length
L140.L/R	03, 04 HOLE
TL140.L/R	03, 04 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 mm	2.7 mm



**T DISTAL RADIUS DORSAL LOCKING PLATE**

Cat.	Length
L141	03, 04 HOLE
TL141	03, 04 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 mm	2.7 mm



**LM WRIST FUSION LOCKING PLATE (L/R)**

Cat.	Length
ML169.ST.	08, 09 HOLE
ML169.CU.	08, 09 HOLE





**D.H.S. LOCKING PLATE**

Cat.	Length
L118.30/35	04, 05, 06, 08, 10, 12 HOLE
TL118.30/35	04, 05, 06, 08, 10, 12 HOLE

**Adopt Screw**

D.H.S. Lag screw	Locking screw	Cortical screw
12.5 mm	4.9 mm	4.5 mm



**D.H.S. TROCHANTERIC SUPPORT LOCKING PLATE**

Cat.	Angle	Length
L118.T.130/135	130°, 135°	04, 05, 06 HOLE

**Adopt Screw**

D.H.S. Lag screw	Locking screw	Cortical screw
12.5 mm	4.5 mm	4.9 mm



**PROXIMAL FEMORAL LOCKING PLATE (L/R)**

Cat.	Length
L125.L/R	03 HOLE TO 11 HOLE

**Adopt Screw**

Locking C.C. screw	C.C. screw	Locking Cannulated screw
7.3 mm	7.3 mm	4.9 mm
Locking screw	Cortical screw	
4.9 mm	4.5 mm	



**LATERAL SUPPORT FOR P.F. NAIL (L/R)**

Cat.	Length
L168.L/R	02, 03, 04, 05 HOLE
ML168.L/R	02, 03, 04 HOLE







**DISTAL FEMORAL LOCKING PLATE (L/R)**

Cat.	Length
L112.L/R	04 HOLE TO 14 HOLE
TL112.L/R	05, 07, 09, 11, 13 HOLE

**Adopt Screw**

Locking Cancellous screw	Locking screw	Cortical screw
6.5 mm	4.9 mm	4.5 mm



**DISTAL FEMORAL LCP 4.9 MM (L/R)**

Cat.	Length
L112.49L/R	05, 07, 09, 11, 13 HOLE
TL112.49L/R	05, 07, 09, 11, 13, 15 HOLE
ML112.49L/R	05, 07, 09, 11, 13, 15 HOLE

**Adopt Screw**

Locking Cancellous screw	Locking screw	Cortical screw
4.9 mm	4.9 mm	4.5 mm



**95° D.C.S. LOCKING PLATE**

Cat.	Length
L119	06, 08, 10, 12 HOLE
TL119	06, 08, 10, 12 HOLE

**Adopt Screw**

D.H.S. Lag screw	Locking screw
12.5 mm	4.9 mm
Cortical screw	C.C. & Cancellous screw
4.5 mm	6.5 mm



**ANTERO MEDIAL DISTAL FEMUR LOCKING PLATE (L/R)**

Cat.	Length
L165.L/R	02, 04, 06, 08 HOLE
TL165.L/R	02, 04, 06, 08 HOLE
ML165.L/R	02, 04, 06, 08 HOLE

**Adopt Screw**

Locking screw	Cortical screw
4.9 mm	4.5 mm





L BUTTRESS LOCKING PLATE (L/R)

Cat.	Length
L110.L/R	04 HOLE TO 12 HOLE

**Adopt Screw**

Locking screw	Cortical screw	Locking Cancellous screw
4.9 mm	4.5 mm	6.5 mm



T BUTTRESS LOCKING PLATE

Cat.	Length
L111	04 HOLE TO 12 HOLE
TL111	04 HOLE TO 12 HOLE

**Adopt Screw**

Locking screw	Cortical screw	Locking Cancellous screw
4.9 mm	4.5 mm	6.5 mm



LATERAL TIBIA LOCKING PLATE (L/R)

Cat.	Length
L116.L/R	03 HOLE TO 14 HOLE
TL116.L/R	03 HOLE TO 14 HOLE

**Adopt Screw**

Locking screw	Cortical screw	Locking Cancellous screw
4.9 mm	4.5 mm	6.5 mm



LATERAL TIBIA LCP 4.9 (L/R)

Cat.	Length
L116.49.L/R	03 HOLE TO 14 HOLE
TL116.49.L/R	05 HOLE TO 15 HOLE
ML116.49.L/R	03 HOLE TO 17 HOLE

**Adopt Screw**

Locking screw	Cortical screw	Locking Cancellous screw
4.9 mm	4.5 mm	4.9 mm





**ANATOMICAL PROXIMAL TIBIA LOCKING PLATE (L/R)**

Cat.	Length
L132.L/R	04, 06, 08, 10, 12, 14 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 & 4.9 mm	4.5 mm



**POSTERIOR MEDIAL PROXIMAL TIBIAL LOCKING PLATE**

Cat.	Length
L133	02, 04, 06, 08, 10 HOLE
TL133	02, 04, 06, 08, 10 HOLE
ML133	02, 04, 06, 08, 10 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm



**PROXIMAL TIBIA MEDIAL LOCKING PLATE (L/R)**

Cat.	Length
L144.L/R	04, 06, 08, 10, 12, 14, 16, 18 HOLE
TL144.L/R	04, 06, 08, 10, 12, 14, 16, 18 HOLE
ML144.L/R	04, 06, 08, 10, 12 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 mm	3.5 mm



**ANATOMICAL LOW BEND PROXIMAL TIBIA LOCKING PLATE (L/R)**

Cat.	Length
L162.L/R	04, 06, 08, 10, 12, 14, HOLE
TL162.L/R	04, 06, 08, 10, 12, 14, HOLE
ML162.L/R	04, 06, 08, 10, 12, 14, HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 & 4.9 mm	3.5 mm





TIT HIGH TIBIAL OSTEOTOMY LCP (H.T.O)

Cat.	Length
TL163	05 HOLE



TIT BLOCK FOR H.T.O

Cat.	Length
TL163.B	05 X 06 MM 06 X 08 MM 08 X 10 MM 10 X 12 MM



TIT LOCKING SCREW 4.9MM FOR H.T.O

Cat.	Length
TL163.S	15 HOLE



TIT MEDIOTO LOCKING PLATE

Cat.	Length
TL117	SMALL, LARGE





**DISTAL TIBIA METAPHYSEAL LOCKING PLATE**

Cat.	Length
L115	04 TO 14 HOLE & 16 HOLE
TL115	04 HOLE TO 12 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 & 4.9 mm	3.5 & 4.5 mm



**DISTAL TIBIAL MEDIAL LOCKING PLATE (L/R)**

Cat.	Length
L121.L/R	04, 06, 08, 10, 12 HOLE
TL121.L/R	04, 06, 08, 10, 12 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 & 4.9 mm	3.5 & 4.5 mm



**ANTEROLATERAL DISTAL TIBIA LOCKING PLATE (L/R)**

Cat.	Length
L134.L/R	04, 06, 08, 10, 12 HOLE
TL134.L/R	04, 06, 08, 10, 12 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 & 4.9 mm	3.5 mm



**POSTERIOR DISTAL TIBIA LCP (L/R)**

Cat.	Length
L173.L/R	02, 03, 04 HOLE
TL173.L/R	02, 03, 04 HOLE

**Adopt Screw**

Locking screw	Cortical screw
3.5 & mm	3.5 mm





**CLAVICLE MEDIAL  
LOCKING PLATE (L/R)**

Cat.	Length
L122.L/R	06 HOLE TO 08 HOLE
TL122.L/R	06 HOLE TO 08 HOLE
ML122.L/R	06 HOLE TO 08 HOLE



**Adopt Screw**

Locking screw    Cortical screw  
3.5 mm            3.5 mm

**SUPERIOR ANTERIOR CLAVICLE  
LOCKING PLATE (L/R)**

Cat.	Length
L126.L/R	03 HOLE TO 08 HOLE
TL126.L/R	03 HOLE TO 08 HOLE
ML126.L/R	03 HOLE TO 08 HOLE



**Adopt Screw**

Locking screw    Cortical screw  
2.7 & 3.5 mm    3.5 mm

**CLAVICLE HOOK LOCKING PLATE (L/R)**

Cat.	Length
L142.L/R	04 HOLE TO 08 HOLE
TL142.L/R	04 HOLE TO 08 HOLE



**Adopt Screw**

Locking screw    Cortical screw  
3.5 mm            3.5 mm






OLECRANON VA LOCKING PLATE

Cat.	Length
L135	07, 09, 11 HOLE (SMALL & LARGE) (L/R)
TL135	07, 09, 11 HOLE (SMALL & LARGE) (L/R)



OLECRANON (W.O.S.) LCP (L/R)

Cat.	Length
TL135.W.L/R	03, 05, 07, 09, 11 HOLE
ML135.W.L/R	03, 05, 07, 09, 11 HOLE



Adopt Screw

Locking screw	Cortical screw
2.7 & 3.5 mm	3.5 mm

TIT PATELLA STAR LOCKING PLATE

Cat.	Length
L167	(SMALL, MEDIUM, LARGE ARROW SHAPE)
TL167	(SMALL, MEDIUM, LARGE ARROW SHAPE)





**DISTAL FIBULA VA  
LOCKING PLATE (W.O.S.) (L/R)**

Cat.	Length
L161.W.L/R	04, 06, 08, 10 HOLE
TL161.W.L/R	04, 06, 08, 10 HOLE
ML161.W.L/R	04, 06, 08, 10 HOLE

**DISTAL FIBULA VA  
LOCKING PLATE (L/R)**

Cat.	Length
L161.V.L/R	04, 06, 08, 10 HOLE
ML161.V.L/R	04, 06, 08, 10 HOLE

**Adopt Screw**

Locking screw	Cortical screw
2.7 & 3.5 mm	3.5 mm




Calcaneal

**CALCANEAL LOCKING PLATE (L/R)**

Cat.	Length
L124.L/R	SMALL & MEDIUM
TL124.L/R	SMALL & MEDIUM

**Adopt Screw**

Locking screw
3.5 mm





**CALCANEOSUS ANTERIOR LOCKING PLATE (W.O.G.) (L/R)**

Cat.	Length
TL169.W.L/R	06 HOLE

**CALCANEOSUS ANTERIOR LOCKING PLATE (L/R)**

Cat.	Length
TL169.L/R	06 HOLE

**Adopt Screw**

Locking screw  
3.5 mm



**CALCANEOSUS POSTERIOR LOCKING PLATE (L/R)**

Cat.	Length
TL170.L/R	06, 07, 08 HOLE

**Adopt Screw**

Locking screw  
3.5 mm



**CALCANEOSUS COMBINED LOCKING PLATE (W.O.G.) (L/R)**

Cat.	Length
TL171.W.L/R	09, 10, 11 HOLE



**CALCANEOSUS COMBINED LOCKING PLATE (L/R)**

Cat.	Length
TL171.L/R	09, 10, 11 HOLE

**Adopt Screw**

Locking screw  
3.5 mm





## LOCKING SCREW 3.5 MM

Cat.	Length
L101	10 mm To 50 mm (2 mm variation)
	55 mm To 90 mm (5 mm variation)
TL101	10 mm To 50 mm (2 mm variation)
	55 mm To 90 mm (5 mm variation)
ML101(S.H.)	12 mm To 40 mm (2 mm variation)
	40 mm To 90 mm (5 mm variation)



## CANNULATED LOCKING SCREW 3.5 MM


Cat.	Length
ML101.C	24 mm To 54 mm (2 mm variation)

### Adopt Instrument

Drill Bit  
2.8 mm

## LOCKING SCREW 4.9 MM

Cat.	Length
L102	16 mm To 60 mm (2 mm variation)
	65 mm To 120 mm (5 mm variation)
TL102	20 mm To 50 mm (2 mm variation)
	55 mm To 100 mm (5 mm variation)
ML102	16 mm To 70 mm (2 mm variation)
	70 mm To 90 mm (5 mm variation)



### Adopt Instrument

Drill Bit  
4.3 mm

## LOCKING SCREW 2.7 MM

Cat.	Length
L152	12 mm To 60 mm (2 mm variation)
TL152	12 mm To 60 mm (2 mm variation)
ML152 (S.H.)	10 mm To 60 mm (2 mm variation)



### Adopt Instrument

Drill Bit  
2.0 mm



LOCKING CANCELLOUS SCREW 6.5 MM (FULLY THREAD)

Cat.	Length
L103	35 mm To 110 mm (5 mm variation)
TL103	35 mm To 110 mm (5 mm variation)



**Adopt Instrument**

Drill Bit  
4.5 mm

LOCKING CANCELLOUS SCREW 6.5 MM (32 THREAD)

Cat.	Length
L104	50 mm To 110 mm (5 mm variation)



**Adopt Instrument**

Drill Bit  
4.5 mm

LOCKING CANCELLOUS SCREW 4.9 MM (FULLY THREAD)

Cat.	Length
L150	50 mm To 90 mm (5 mm variation)
ML150	24 mm To 70 mm (2 mm variation)
	70 mm To 90 mm (5 mm variation)



**Adopt Instrument**

Drill Bit  
4.3 mm

LOCKING CANCELLOUS SCREW 3.5 MM (16 THREAD)

Cat.	Length
L153	18 mm To 30 mm (2 mm variation)
	35 mm To 70 mm (5 mm variation)
TL153	18 mm To 22 mm (2 mm variation)
	25 mm To 70 mm (5 mm variation)




**Adopt Instrument**

Drill Bit  
2.8 mm



## LOCKING CANCELLOUS SCREW 3.5 MM (FULLY THREAD)

Cat.	Length
L154	18 mm To 22 mm (2 mm variation)
	25 mm To 90 mm (5 mm variation)
TL154	18 mm To 22 mm (2 mm variation)
	25 mm To 90 mm (5 mm variation)
ML154	18 mm To 70 mm (2 mm variation)
	75 mm To 90 mm (5 mm variation)



### Adopt Instrument

Drill Bit  
2.8 mm

# Locking C.C. Screw

## LOCKING C.C. SCREW 7.3 MM (FULLY THREAD)

Cat.	Length
L151	50 mm To 151 mm (5 mm variation)



### Adopt Instrument

Drill Bit  
5.0 mm C.C.

# Locking Cannulated Screw

## LOCKING CANNULATED SCREW 4.9 MM (FULLY THREAD)

Cat.	Length
L157	70 mm To 90 mm (5 mm variation)



### Adopt Instrument

Drill Bit  
4.3 mm C.C.





### 1. Proximal Humerus Locking Plate Graphic Box

Cat No : GB018

Length : 13"

Width : 8.5"

Height : 03"



### 2. Humerus Locking Plate Graphic Box

Cat No : GB011

Length : 14.5"

Width : 10"

Height : 5.5"





### 3. Olecranon Locking Plate Graphic Box

Cat No : GB014

Length : 12"

Width : 06"

Height : 04"



### 4. Distal Radius Locking Plate Graphic Box

Cat No : GB012

Length : 12"

Width : 06"

Height : 04"






### 5. Proximal Tibia Locking Plate Graphic Box

Cat No : GB016

Length : 14.5"

Width : 11"

Height : 5.5"




### 6. Distal Tibia Locking Plate Graphic Box

Cat No : GB017

Length : 14.5"

Width : 11"

Height : 5.5"







### 7. Fibula Locking Plate Graphic Box

Cat No : GB010

Length : 12"

Width : 06"

Height : 04"



### 6. Clavical Locking Plate Graphic Box

Cat No : GB007


Length : 12"

Width : 06"

Height : 04"



**Did you know ?**  
**25000+ Distal Radius Volar of Nebula**  
implanted worldwide since 2013.



**NEBULA SURGICAL PVT. LTD.**



"Nebula" Narmada Park-3, Opp. King's Height, Vidhya Kunj Society Main Road,  
Amin Marg, Rajkot-360005. Gujarat (INDIA) Ph. : +91 281 258 48 32 / 33,



G-1921/3, Almighty Gate Main Road, G.I.D.C. Metoda-360021. Dist :- Rajkot, Gujarat (INDIA)



[www.nebulasurgical.com](http://www.nebulasurgical.com),



[info@nebulasurgical.com](mailto:info@nebulasurgical.com)  
[export@nebulasurgical.com](mailto:export@nebulasurgical.com)